



## **Blast Pot CADWB-2460 (300l) Double Chamber Machine**

This high quality brand belongs to the product group “pressure blast systems”. Only the perfect configuration and match of all system components in a blast machine enable maximum blasting efficiency. Therefore Clemco offers an extensive and complete range of quality products.



### **Blast Pot CADWB-2460 (300l) Double Chamber Machine**

Up to four operators can use our double chamber blast machines for parallel and independent work. Furthermore the double chamber systems makes it possible to refill the blast machine without interrupting blasting. This makes the system a perfect solution for an automated production and continuous duty.

Anwendungsbereich	automation continuous operation
Gesamtabmessung: B x H x T *	900 x 1750 x 850 mm
Durchmesser	610 mm
Gewichtung *	300 kg
Tankinhalt	2 x 150 l
Strahlmittel	suitable for every common media
Strahldruck	0 < > 12 bar
Arbeitstemperatur	0°C < > 50°C
Ausstattung	depending on requirements
* +/- Werte, unterscheiden sich je nach Ausstattung, Anordnung und Arbeitsweise.	

**Air volume in m<sup>3</sup>/min**

nozzle orifice	3,5 bar	4,2 bar	4,9 bar	5,6 bar	6,3 bar	7,0 bar	8,6 bar	10,3 bar
5 mm 3/16"	0,73	0,84	0,92	1,06	1,15	1,26	1,54	1,82
6,5 mm ¼"	1,31	1,51	1,71	1,9	2,08	2,27	2,75	3,22
8 mm 5/16"	2,16	2,5	2,83	3,16	3,53	3,84	4,71	5,57
9,5 mm 3/8"	3,02	3,53	4	4,5	4,85	5,5	6,64	7,79
11 mm 7/16"	4,12	4,76	5,44	6,09	6,73	7,11	8,8	10,48
12,5 mm ½"	5,46	6,28	7,06	7,85	8,65	9,46	11,46	13,45

When selecting an air volume, please add 50% to the table values to allow loss for normal nozzle wear and friction.